



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

April 6, 2016

Washington Water Service Company  
Attn: Paul Robischon, P.E.  
6800 Meridian Road SE  
Olympia, WA 98513

Re: Water Right No. G2-28846 for Rainwood Water System

Dear Mr. Robischon:

In response to your request, you are hereby granted an extension to put water to full beneficial use for the reasons below:

- Due diligence is shown in development of this project. Rainwood Water System is currently serving 18 connections and is approved for 20 services.
- Delays were encountered due to local economic conditions and variable building plans of individual lot owners. Additional time is required for full use water within the water system service area.

The new deadline to apply water to full beneficial use and submit your *Proof of Appropriation of Water* form is **May 1, 2021**.

If you have any questions, please contact Marie Peter at (360) 407-0279 or [mpet461@ecy.wa.gov](mailto:mpet461@ecy.wa.gov).

#### **YOUR RIGHT TO APPEAL**

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.



You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

**ADDRESS AND LOCATION INFORMATION**

| Street Addresses   | Mailing Addresses   |
|--|---|
| <b>Department of Ecology</b><br>Attn: Appeals Processing Desk<br>300 Desmond Drive SE<br>Lacey, WA 98503 | <b>Department of Ecology</b><br>Attn: Appeals Processing Desk<br>PO Box 47608<br>Olympia, WA 98504-7608 |
| <b>Pollution Control Hearings Board</b><br>1111 Israel RD SW<br>STE 301<br>Tumwater, WA 98501            | <b>Pollution Control Hearings Board</b><br>PO Box 40903<br>Olympia, WA 98504-0903                       |

*For additional information visit the Environmental Hearings Office Website:  
<http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State  
Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.*

Sincerely,



Michael J. Gallagher  
Section Manager  
SWRO Water Resources

MJG:MP:th

Enclosures: Proof of Appropriation of Water  
Your Right to Be Heard

BY CERTIFIED MAIL: 7015 0640 0007 2151 7378